

Bundelkhand Institute of Engineering & Tech., Jhansi, Uttar Pradesh, 284128

INVITATION LETTER

To,

Sub: INVITATION LETTER FOR P-Xerox Machine

Dear Sir.

1. You are invited to submit your most competitive quotation for the following goods with item wise detailed specifications given at Annexure I,

Sr. No	Item Name	Quantity	Place of Delivery	Installation Requirement (if any)
1	Xerox Machine	3	BIET JHANSI	

2. Government of India has received a credit from the International Development Association (IDA) towards the cost of the **Technical Education Quality Improvement Programme** [**TEQIP**]-**Phase III** Project and intends to apply part of the proceeds of this credit to eligible payments under the contract for which this invitation for quotations is issued.

3. Quotation

- 3.1 The contract shall be for the full quantity as described above.
- 3.2 Corrections, if any, shall be made by crossing out, initialling, dating and re writing.
- 3.3 All duties and other levies payable by the supplier under the contract shall be included in the unit Price.
- 3.4 Applicable taxes shall be quoted separately for all items.
- 3.5 The prices quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- 3.6 The Prices should be quoted in Indian Rupees only.
- **4.** Each bidder shall submit only one quotation.
- 5. Quotation shall remain valid for a period not less than **60**days after the last date of quotation submission.
- **6.** Evaluation of Quotations: The Purchaser will evaluate and compare the quotations determined to be Substantially responsive i.e. which
 - 6.1 are properly signed; and
 - 6.2 Confirm to the terms and conditions, and specifications.
- 7. The Quotations would be evaluated for all items together.
- 8. Award of contract The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.
 - 8.1 Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of Contract.

- 8.2 The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be Incorporated in the purchase order.
- **9.** Payment shall be made in Indian Rupees as follows:

Payment Description	Expected Delivery Period (in Days)	Payment Percentage
Satisfactory Delivery & Installation	30	90
Satisfactory Performance & Acceptance	30	10

- Liquidated Damages will be applied as per the below: Liquidated Damages Per Day Min %: N/A Liquidated Damages Max %: N/A
- 11. All supplied items are under warranty of **36** months from the date of successful acceptance of items and AMC/Others is .
- You are requested to provide your offer latest by **15:00** hours on **17-Dec-2019**.
- 13. Detailed specifications of the items are at Annexure I.
- 14. Training Clause (if any) Yes
- 15. Testing/Installation Clause (if any) YES
- 16. Performance Security shall be applicable: 0%
- 17. Information brochures/ Product catalogue, if any must be accompanied with the quotation clearly indicating the model quoted for.
- 18. Sealed quotation to be submitted/ delivered at the address mentioned below,

TEQIP-III Coordinator

First Floor Civil Engineering Building

Bundelkhand Institute of Engineering & Tech., Jhansi Uttar Pradesh, 284128

19. We look forward to receiving your quotation and thank you for your interest in this project.

(Prof. Mukesh Shukla) Nodal Officer Procurement FAX (OPTION) Circuit:

Compatibility: Resolution:

Annexure I

GENERAL 25 / 25 seconds Full colour : 7.6 / 7.5 seconds BW : 5.4 / 5.3 seconds Full colour : 20 / 25 ppm Warm-up time: First output time: Continuous output speed: Full Colour: 20/25 ppm BW: 20/25 ppm Standard: 2GB Maximum: 4GB 250 GB 587 x 685 x 833 mm Memory: Dimensions (W x D x H): Weight 220-240V. 50/60Hz Power source: COPIER Dry Electrostatic Transfer System with Dual component Copying process: Development: 4-Drum method Up to 999 copies 600 dpl / 4 bit Multiple copying: Resolution: From 25 to 400% in 1% step Zoom: PRINTER Standard : PCL5c, PCL6(XL), PDF Printer language: Option : Adobe PostScript's 3TM, XPS, PictBridge Maximum : 1200 x 1200 dpi / 2 bit Standard : 5D slot, USB Host Interface, Interface: Ethernet 10 base-T/100 base-TX/ 1000 Base-T Option : Wireless LAN (IEEE 802.11a/b/g/n), Bluetooth, USB Server for Second Network Interface, Bidirectional IEEE1284/ECP, USB 2.0 (Type B) Apple AirPrint**
Windows* Vista / 7 / 8 / 8.1 / 10,
Windows* Server 2003 / 2003R2 / 2008 / 2008R2 / Mobile printing capability: 2012 / 2012R2 Macintosh OS X Native V10.7 or later (Optional PS3TM) UNIX Sun® Solaris, HP-UX, SCO OpenServer, **UNIX environments:** RedHat[®] Linux Enterprise, IBM[®] AIX SAP[®] R/3[®] SAP® R/3® environments:

PSTN, P8X ITU-T (CCITT) G3 Standard : 8 x 3.85 line/mm, 200 x 100 dpl, 8 x 7.7 line/mm, 200 x 200 dpl, Option : 8 x 15.4 line/mm, 16x 15.4 line/mm, 400 x 400 dpl G3 : 2 second(s) (200 x 100 dpl, JBIG), 3 seconds(s) (200 x 100 dpl, MMR) Maximum : 33.6 Kbps Standard : 4 MB Maximum : 64 MB Transmission speed: Modem speed: Memory capacity: PAPER HANDLING SRA3, A3, A4, A5, A6, 84, 85, 86 Stadard: 1,200 sheets Maximum: 2,300 sheets Maximum: 1,625 sheets 60 - 300 g/m² Paper Input capacity: Paper output capacity: Paper weight: Maximum : 1,700 / 1,700 W Ready mode : 50,2 / 50,2 W Sleep mode : 0,90 / 0,90 W TEC (Typical Electricity Consumption): 0,7 / 0.9 kW/h Power consumption:

SOFTWARE One-stop solution for all your document management requirements.

Standard: SmartDeviceMonitor for print & scan,

SmartDeviceMonitor for print & scan, Web Image Monitor, DMNX Lite Card Authentication Package, EZ Charger Express, Optional: Integrated Cloud Environment (ICE), Global Scan NX,

Processor: Intel

OPTIONS

ADF handle, Platen cover, ARDF, SPDF, 1 x 550-sheet paper tray, 2 x 550-sheet paper tray, Bridge unit, Internal finisher, Internal stampless stapler finisher, 1,000-sheet booklet finisher, Punch klts, Internal shift tray, 1-bin tray, Side tray, Caster table, Cabinet, Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/b/gn), Bluetooth, PKtBridge, Adobe® PostScripte 3™ XPS direct print, SRA a extension unit, 4GB Memory Unit, Fax option, G3 Interface unit, Fax connection unit, Fax memory, Extended USB port (Type B), 2nd NIC option, OCR unit, Data overwrite security unit (Certified Version), File format converter, Unicode font package for SAP, Counter Interface, Key counter bracket, Keyboard bracket, Card reader, Card reader cover, Card reader bracket, Banner Paper guide tray, Fax marker

per minute Maximum : 1,200 dpl A3, A4, A5, 84, 85

ARDF SPDF : Max. 54 originals per minute : Max. 110 (simplex) / 180 (duplex)


Resolution: File Format: Network TWAIN, E-mall, Folder, Bundled drivers: Scan to:

SCANNER

originals

Scanning speed:

A



FORMAT FOR QUOTATION SUBMISSION

(In letterhead of the supplier with seal)

Da	ate:							
To):							
	SI. No.	Description of goods \ (with full Specifications)	Qty.	Unit	Quoted Unit rate in Rs. (Including Ex-Factory price, excise duty, packing and forwarding, transportation, insurance, other local costs incidental to delivery and warranty/ guaranty commitments)	Total Price (A)	Sales tax and other taxes payable	
							In %	In figures (B)
=								
	Total Cost							
(R W te	tupees — e confirn rms and	an that the normal conditions as ment	nount i comme ioned i	n words) rcial wa n the Inv	cordance with the technical specification within the period specified in the Invitation tranty/ guarantee of ——————————————————————————————————	tion for Quotations. nonths shall apply t	o the offered items and w	
Na Ad	ame: ddress: _	of Supplier						